

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Brian Freeman

Group Art Unit: 3634

Examiner: Jerry E. Redman

Serial No.: 10/722,999

Filed: November 24, 2003

For: AUTOMATIC DOOR CONTROL SYSTEM

Attorney Docket No.: 203.001PT (FREB 0101 PUS)

**REQUEST FOR WITHDRAWAL
AS ATTORNEY (37 C.F.R. 10.40(c))**

Commissioner for Patents
U.S. Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

1. I, an attorney signing below, respectfully request permission to withdraw from all further responsibility in this case, in accordance with 37 C.F.R. § 1.36.

REQUEST FOR PERMISSION TO WITHDRAW

Because the application referred to in item 4 below is a continuing application signed only by an attorney named below under 37 C.F.R. § 1.53(b)(2), this withdrawal request is also for such continuing application.

LAST KNOWN ADDRESS OF CLIENT

2. The last known mailing address of the applicant/inventor is: 109 Percy Place, Georgetown, Kentucky 40324.

BASIS FOR WITHDRAWAL REQUEST

3. The basis for the request for withdrawal is 37 C.F.R. § 10.40(c) §(5). applicant/inventor expressly requests withdrawal of the attorney-of-record.

ALLOWANCE OF TIME FOR CLIENT TO ACT

4. Status of this Application(10/722,999): Issued: May 8, 2007.

NOTIFICATION OF CLIENT

5. In accordance with 37 C.F.R. § 10.40(a), a copy of this request including attachments, is being sent to the client.

6. This request is being electronically filed.

RELATED APPLICATION

7. Related Applications for Which Withdrawal is Requested:


Withdrawal also is requested in the following related application of the applicant/inventor:

Application No. 11/685,320

Respectfully submitted,

Brian Freeman

By



Myron J. Lloyd

Reg. No. 53,228

Attorney/Agent for Applicant

Date: April 27, 2007

BROOKS KUSHMAN P.C.
1000 Town Center, 22nd Floor
Southfield, MI 48075-1238
Phone: 248-358-4400
Fax: 248-358-3351